

Forward algorithm


The edge-based hexahedral element is used.


$$\boldsymbol{E}(\boldsymbol{r}) = \sum_{i=1}^{8} \boldsymbol{N}_{i}(\boldsymbol{r}) E_{i}$$




- As in Grayver & Burg (2014, GJI), non-conforming meshes with 1-irregular hanging nodes is used.
- ➤ In FEMTIC, the division number of one side can be double compared to the other side only in the horizontal direction.
- Except for the treatment of adjacent elements with different division numbers, the forward algorithm is based on Usui (2015) and Usui et al. (2017).










Equations for constraints


$$E_1 = E_2 = E_8$$
 $E_3 = E_4 = E_9$
 $E_7 = \frac{E_5 + E_6}{2}$

Test of forward calculation (1) - Seafloor with 2-D sinusoidal undulation -




- ➤ Schwalenberg & Edwards (2004) and Usui et al. (2018) showed semi-analytical formulation for the seafloor with 2-D sinusoidal undulation.
- ➤ I calculated the apparent resistivity, the phase, and the vertical magnetic transfer functions (tipper) by using developed inversion code.
- ➤ I compared the calculated response functions with the analytical solutions.







Mesh of the subsurface




Test of forward calculation (1) - Seafloor with 2-D sinusoidal undulation -




Test of forward calculation (2) - Seafloor with a 3-D bell-shaped sea mountain -






Tetrahedral mesh

- ➤ Analytical solutions of the 3-D bathymetry is not available.
- ➤ I compared the calculated response function by a non-conforming deformed hexahedral mesh with those obtained by a tetrahedral mesh.



Test of forward calculation (2) - Seafloor with a 3-D bell-shaped sea mountain -



0.5

1.0

-1.0

-0.5

0.0

Distance (km)

-0.5

-1.0

0.0

Distance (km)

0.5

1.0

-1.0

-0.5


0.0

Distance (km)

0.5

1.0

Test of inversion



- ➤ I used the impedance tensor and the tipper calculated by a tetrahedral mesh as input data.
- Periods: 16 periods from 31.6 to 10,000 s
- > Gaussian noise was added to the synthetic data.

Standard deviation for the impedance tensor components: $0.05 \times \max(|Z_{xy}|, |Z_{yx}|)$ Standard deviation for the tipper components: $0.05 \times \max(|T_{zx}|, |T_{zy}|, 1.0)$

Test of inversion

